



Product Service

CERTIFICATE

No. Z2 13 08 60191 007

Holder of Certificate: BYD COMPANY LIMITED

No.1, Yan'an Road, Kuichong, Longgang District
 518119 Shenzhen City, Guangdong
 PEOPLE'S REPUBLIC OF CHINA

Certification Mark:



Product:

**Crystalline Silicon Terrestrial Photovoltaic (PV) Modules
 Mono & Poly Crystalline Silicon Photovoltaic (PV) Module**

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition the certification holder must not transfer the certificate to third parties. See also notes overleaf.

Test report no.:

682601013113



Date, 2013-08-14

Harry Shubo Zhang
 (Harry Shubo Zhang)

Page 1 of 4



Product Service

CERTIFICATE

No. Z2 13 08 60191 007

Model(s):

BYDxxxM6-36 (xxx=260-315); BYDxxxM6C-36 (xxx=260-315);
 BYDxxxM6-30 (xxx=220-265); BYDxxxM6C-30 (xxx=220-265);
 BYDxxxM6-27 (xxx=195-240); BYDxxxM6C-27 (xxx=195-240);
 BYDxxxM6-24 (xxx=175-210); BYDxxxM6C-24 (xxx=175-210);
 BYDxxxM6-18 (xxx=130-160); BYDxxxM6C-18 (xxx=130-160).
 BYDxxxM5-36 (xxx=160-190); BYDxxxM5-27 (xxx=120-145);
 BYDxxxM5-18 (xxx=080-095).
 BYDxxxP6-36 (xxx=240-310); BYDxxxP6C-36 (xxx=240-315);
 BYDxxxP6-30 (xxx=200-255); BYDxxxP6C-30 (xxx=200-260);
 BYDxxxP6-27 (xxx=180-230); BYDxxxP6C-27 (xxx=180-235);
 BYDxxxP6-24 (xxx=160-205); BYDxxxP6C-24 (xxx=160-210);
 BYDxxxP6-18 (xxx=120-155); BYDxxxP6C-18 (xxx=120-155).
 BYDxxxP5-36 (xxx=160-190); BYDxxxP5-27 (xxx=120-145);
 BYDxxxP5-18 (xxx=080-095)
 xxx: in step of 5

Parameters:

Rated output power at STC:	See page 3-4
Fire safety class:	Class C (Configuration reference in CDF)
Application class:	Class A
Max. system voltage:	1000 V d.c.
Test Laboratory:	Yangzhou Opto-Electrical Products Testing Institute No. 10 West Kaifa Road, Yangzhou, 225009 Jiangsu, P. R. China
Construction:	Framed, with Junction box, cable and connectors.

Tested according to:

IEC 61215:2005
 EN 61215:2005
 IEC 61730-1/A2:2013
 EN 61730-1/A1:2012
 IEC 61730-2/A1:2012
 EN 61730-2/A1:2012

Production Facility(ies):

72759, 85342



CERTIFICATE

No. Z2 13 08 60191 007

Model	Rated output power at STC
BYDxxxM6-36 (xxx=260-315, in step of 5);	260 W, 265 W, 270 W, 275 W, 280 W, 285 W, 290 W, 295 W, 300 W, 305 W, 310 W, 315 W
BYDxxxM6C-36 (xxx=260-315, in step of 5);	260 W, 265 W, 270 W, 275 W, 280 W, 285 W, 290 W, 295 W, 300 W, 305 W, 310 W, 315 W
BYDxxxM6-30 (xxx=220-265, in step of 5);	220 W, 225 W, 230 W, 235 W, 240 W, 245 W, 250 W, 255 W, 260 W, 265 W
BYDxxxM6C-30 (xxx=220-265, in step of 5);	220 W, 225 W, 230 W, 235 W, 240 W, 245 W, 250 W, 255 W, 260 W, 265 W
BYDxxxM6-27 (xxx=195-240, in step of 5);	195 W, 200 W, 205 W, 210 W, 215 W, 220 W, 225 W, 230 W, 235 W, 240 W
BYDxxxM6C-27 (xxx=195-240, in step of 5);	195 W, 200 W, 205 W, 210 W, 215 W, 220 W, 225 W, 230 W, 235 W, 240 W
BYDxxxM6-24 (xxx=175-210, in step of 5);	175 W, 180 W, 185 W, 190 W, 195 W, 200 W, 205 W, 210 W
BYDxxxM6C-24 (xxx=175-210, in step of 5);	175 W, 180 W, 185 W, 190 W, 195 W, 200 W, 205 W, 210 W
BYDxxxM6-18 (xxx=130-160, in step of 5);	130 W, 135 W, 140 W, 145 W, 150 W, 155 W, 160 W
BYDxxxM6C-18 (xxx=130-160, in step of 5);	130 W, 135 W, 140 W, 145 W, 150 W, 155 W, 160 W
BYDxxxM5-36 (xxx=160-190, in step of 5);	160 W, 165 W, 170 W, 175 W, 180 W, 185 W, 190 W
BYDxxxM5-27 (xxx=120-145, in step of 5);	120 W, 125 W, 130 W, 135 W, 140 W, 145 W
BYDxxxM5-18 (xxx=080-095, in step of 5);	80 W, 85 W, 90 W, 95 W
BYDxxxP6-36 (xxx=240-310, in step of 5);	240 W, 245 W, 250 W, 255 W, 260 W, 265 W, 270 W, 275 W, 280 W, 285 W, 290 W, 295 W, 300 W, 305 W, 310 W
BYDxxxP6C-36 (xxx=240-315, in step of 5);	240 W, 245 W, 250 W, 255 W, 260 W, 265 W, 270 W, 275 W, 280 W, 285 W, 290 W, 295 W, 300 W, 305 W, 310 W, 315 W
BYDxxxP6-30 (xxx=200-255, in step of 5);	200 W, 205 W, 210 W, 215 W, 220 W, 225 W, 230 W, 235 W, 240 W, 245 W, 250 W, 255 W
BYDxxxP6C-30 (xxx=200-260, in step of 5);	200 W, 205 W, 210 W, 215 W, 220 W, 225 W, 230 W, 235 W, 240 W, 245 W, 250 W, 255 W, 260 W
BYDxxxP6-27 (xxx=180-230, in step of 5);	180 W, 185 W, 190 W, 195 W, 200 W, 205 W, 210 W, 215 W, 220 W, 225 W, 230 W
BYDxxxP6C-27 (xxx=180-235, in step of 5);	180 W, 185 W, 190 W, 195 W, 200 W, 205 W, 210 W, 215 W, 220 W, 225 W, 230 W, 235 W
BYDxxxP6-24 (xxx=160-205, in step of 5);	160 W, 165 W, 170 W, 175 W, 180 W, 185 W, 190 W, 195 W, 200 W, 205 W
BYDxxxP6C-24 (xxx=160-210, in step of 5);	160 W, 165 W, 170 W, 175 W, 180 W, 185 W, 190 W, 195 W, 200 W, 205 W, 210 W
BYDxxxP6-18 (xxx=120-155, in step of 5);	120 W, 125 W, 130 W, 135 W, 140 W, 145 W, 150 W, 155 W



Product Service

C E R T I F I C A T E

No. Z2 13 08 60191 007

BYDxxxP6C-18 (xxx=120-155, in step of 5).	120 W, 125 W, 130 W, 135 W, 140 W, 145 W, 150 W, 155 W
BYDxxxP5-36 (xxx=160-190, in step of 5);	160 W, 165 W, 170 W, 175 W, 180 W, 185 W, 190 W
BYDxxxP5-27 (xxx=120-145, in step of 5);	120 W, 125 W, 130 W, 135 W, 140 W, 145 W
BYDxxxP5-18 (xxx=080-095, in step of 5).	80 W, 85 W, 90 W, 95 W

Page 4 of 4